INDEX TO AUTHORS

ALLING, E. L. See ZELDIS and ALLING, 515

ANDERSON, KATHERINE, DEMONBREUN, W. A., and GOODPASTURE, E. W. An etiologic consideration of *Donovania granulomatis* cultivated from granuloma inguinale (three cases) in embryonic yolk, 25

—, GOODPASTURE, E. W., and DEMONBREUN, W. A. Immunologic relationship of *Donovania granulomatis* to granuloma inguinale, 41

BEESON, PAUL B., BRANNON, EMMETT S., and WARREN, JAMES V. Observations on the sites of removal of bacteria from the blood in patients with bacterial endocarditis, 9

BERNHEIMER, ALAN W., and CANTONI, G. L. The cardiotoxic action of preparations containing the oxygen-labile hemolysin of *Streptococcus pyogenes*. I. Increased sensitivity of the isolated frog's heart to repeated application of the toxin, 295

—. See CANTONI and BERNHEIMER, 307

BIER, OTTO G., LEYTON, GRACIELA, MAYER, MANFRED M., and HEIDELBERGER, MICHAEL. A comparison of human and guinea pig complements and their component fractions, 449

BINKLEY, FRANCIS, GOEBEL, WALTHER F., and PERLMAN, ELY. Studies on the Flexner group of dysentery bacilli. II. The chemical degradation of the specific antigen of Type Z *Shigella paradysenteriae* (Flexner), 331

—. See GOEBEL, BINKLEY, and PERLMAN, 315

BINKLEY, FRANCIS. See PERLMAN, BINKLEY, and GOEBEL, 349

BODIAN, DAVID, and HOWE, HOWARD A. Non-paralytic poliomyelitis in the chimpanzee, 255

— and MELLORS, ROBERT C. The regenerative cycle of motoneurons, with special reference to phosphatase activity, 469

—. See HOWE and BODIAN, 247

BRANNON, EMMETT S. See BEESON, BRANNON, and WARREN, 9

BROWN, GORDON C., and FRANCIS, THOMAS, JR. The virus-neutralizing action of serum from mice infected with poliomyelitis virus, 161

CANTONI, G. L., and BERNHEIMER, ALAN W. The cardiotoxic action of preparations containing the oxygen-labile hemolysin of *Streptococcus pyogenes*. II. Inhibition of cardiotoxic effect by a substance released from the frog's heart, 307

—. See BERNHEIMER and CANTONI, 295

CLAUDE, ALBERT, and FULLAM, ERNEST F. An electron microscope study of isolated mitochondria. Method and preliminary results, 51

—. See PORTER, CLAUDE, and FULLAM, 233

COHEN, SIDNEY. See ENDERS, COHEN, and KANE, 119

—. See ENDERS, KANE, COHEN, and LEVENS, 93

DAVIDSOHN, I. See WIENER, DAVIDSOHN, and POTTER, 63

DEMONBREUN, W. A. See ANDERSON, DEMONBREUN, and GOODPASTURE, 25

—. See ANDERSON, GOODPASTURE, and DEMONBREUN, 41

EHRICH, W. E. See HARRIS, GRIMM, MERTENS, and EHRICH, 73

ELLIOTT, STUART D. A proteolytic enzyme produced by group A streptococci with special reference to its effect on the type-specific M antigen, 573

ENDERS, JOHN F., COHEN, SIDNEY, and KANE, LEWIS W. Immunity in mumps. II. The development of complement-fixing antibody and dermal hypersensitivity in human beings following mumps, 119

—, KANE, LEWIS W., COHEN, SIDNEY, and LEVENS, JEANETTE H. Immunity in mumps. I. Experiments with monkeys (*Macacus mulatta*). The development of complement-fixing antibody following infection and experiments on immunization by means of inactivated virus and convalescent human serum, 93

—. See KANE and ENDERS, 137

FOLLIS, RICHARD H., and WINTROBE, MAXWELL M. A comparison of the effects of pyridoxine and pantothenic acid deficiencies on the nervous tissues of swine, 539

FOSTER, ALICE Z. See KABAT, MILLER, KAISER, and FOSTER, 1

FRANCIS, THOMAS, JR. See BROWN and FRANCIS, 161

FRIEDMAN, NATHAN B. Cellular dynamics in the intestinal mucosa: the effect of irradiation on epithelial maturation and migration, 553

FULLAM, ERNEST F. See CLAUDE and FULLAM, 51

—. See PORTER, CLAUDE, and FULLAM, 233

GERSH, ISIDORE, and STILL, MARY A. Blood vessels in fat tissue. Relation to problems of gas exchange, 219

GILDER, HELENA. See HOAGLAND, GILDER, and SHANK, 423

GOEBEL, WALTHER F., BINKLEY, FRANCIS, and PERLMAN, ELY. Studies on the Flexner group of dysentery bacilli. I. The specific antigens of *Shigella paradysenteriae* (Flexner), 315

—. See BINKLEY, GOEBEL, and PERLMAN, 331

—. See PERLMAN, BINKLEY, and GOEBEL, 349

GOODPASTURE, E. W. See ANDERSON, DEMONBREUN, and GOODPASTURE, 25

—. See ANDERSON, GOODPASTURE, and DEMONBREUN, 41

GRIMM, E. See HARRIS, GRIMM, MERTENS, and EHRICH, 73

HARMAN, JOHN W. See SMADEL, JACKSON, and HARMAN, 385

HARRIS, T. N., GRIMM, E., MERTENS, E., and EHRICH, W. E. The rôle of the lymphocyte in antibody formation, 73

HAWKINS, W. B. See WHIPPLE, ROBSCHEIT-ROBBINS, and HAWKINS, 171

HEIDELBERGER, MICHAEL. See BIER, LEYTON, MAYER, and HEIDELBERGER, 449

HOAGLAND, CHARLES L., GILDER, HELENA, and SHANK, ROBERT E. The synthesis, storage, and excretion of creatine, creatinine, and glycocyamine in progressive muscular dystrophy and the effects of certain hormones on these processes, 423

HOLMAN, RUSSELL L. Cirrhosis of the liver in "donor" dogs fed a high fat diet and subjected to repeated bleedings, 399

HOWE, HOWARD A., and BODIAN, DAVID. Passive immunity to poliomyelitis in the chimpanzee, 247

— and MELLORS, ROBERT C. Cytochrome oxidase in normal and regenerating neurons, 489

—. See BODIAN and HOWE, 255

JACKSON, E. B. See SMADEL, JACKSON, and HARMAN, 385
JUNGEBLUT, CLAUS W. Studies in rodent poliomyelitis. VI. Further observations on interference between murine and simian strains of poliomyelitis virus, 275

KABAT, ELVIN A., MILLER, C. PHILLIP, KAISER, HILDA, and FOSTER, ALICE Z. Chemical studies on bacterial agglutination. VII. A quantitative study of the type-specific and group-specific antibodies in antimeningococcal sera of various species and their relation to mouse protection, 1
KAISER, HILDA. See KABAT, MILLER, KAISER, and FOSTER, 1
KANE, LEWIS W., and ENDERS, JOHN F. Immunity in mumps. III. The complement fixation test as an aid in the diagnosis of mumps meningoencephalitis, 137
—. See ENDERS, COHEN, and KANE, 119
—. See ENDERS, KANE, COHEN, and LEVENS, 93

LEVENS, JEANETTE H. See ENDERS, KANE, COHEN, and LEVENS, 93
LEYTON, GRACIELA. See BIER, LEYTON, MAYER, and HEIDELBERGER, 449

MADDEN, S. C., WOODS, R. R., SHULL, F. W., REMINGTON, J. H., and WHIPPLE, G. H. Tolerance to amino acid mixtures and casein digests given intravenously. Glutamic acid responsible for reactions, 439
MAYER, MANFRED M. See BIER, LEYTON, MAYER, and HEIDELBERGER, 449
MCCARTY, MACLYN. Reversible inactivation of the substance inducing transformation of pneumococcal types, 501
MELLORS, ROBERT C. See BODIAN and MELLORS, 469
—. See HOWE and MELLORS, 489
MERTENS, E. See HARRIS, GRIMM, MERTENS, and EHRICH, 73
MILLER, C. PHILLIP. See KABAT, MILLER, KAISER, and FOSTER, 1
MILLER, L. L., ROBSCHEIT-ROBBINS, F. S., and WHIPPLE, G. H. Hemoglobin and plasma protein. Their relation to internal body protein metabolism, 405

PERLMAN, ELY, BINKLEY, FRANCIS, and GOEBEL, WALTHER F. Studies on the Flexner group of dysentery bacilli. III. Antibody response in man following the administration of the specific antigen of Type V *Shigella paradysenteriae* (Flexner), 349
—. See BINKLEY, GOEBEL, and PERLMAN, 331
—. See GOEBEL, BINKLEY, and PERLMAN, 315
POLIVKA, H. R. See WIENER, ZEPEDA, SONN, and POLIVKA, 559
PORTER, KEITH R., CLAUDE, ALBERT, and FULLAM, ERNEST F. A study of tissue culture cells by electron microscopy. Methods and preliminary observations, 233
POTTER, E. L. See WIENER, DAVIDSOHN, and POTTER, 63

RAKE, GEOFFREY. See SCHERP and RAKE, 85
REINER, JOHN M. See WOOD, RUSOFF, and REINER, 151
REMINGTON, J. H. See MADDEN, WOODS, SHULL, REMINGTON, and WHIPPLE, 439
ROBSCHEIT-ROBBINS, F. S. See MILLER, ROBSCHEIT-ROBBINS, and WHIPPLE, 405
—. See WHIPPLE, ROBSCHEIT-ROBBINS, and HAWKINS, 171
ROUS, PEYTON, and SMITH, WILLIAM E. The neoplastic potentialities of mouse embryo tissues. I. The findings with skin of C strain embryos transplanted to adult animals, 597

ROUS, PEYTON. See SMITH and ROUS, 621
RUSOFF, IRVING I. See WOOD, RUSOFF, and REINER, 151

SCHERP, HENRY W., and RAKE, GEOFFREY. Studies on meningococcal infection. XIII. Correlation between antipolysaccharide and the antibody which protects mice against infection with Type I meningococci, 85
SCHNEIDER, HOWARD A., and WEBSTER, LESLIE T. Nutrition of the host and natural resistance to infection. I. The effect of diet on the response of several genotypes of *Mus musculus* to *Salmonella enteritidis* infection, 359
SHANK, ROBERT E. See HOAGLAND, GILDER, and SHANK, 423
SHULL, F. W. See MADDEN, WOODS, SHULL, REMINGTON, and WHIPPLE, 439
SMADEL, JOSEPH E., JACKSON, E. B., and HARMAN, JOHN W. A new virus disease of pigeons. I. Recovery of the virus, 385
SMITH, WILLIAM E., and ROUS, PEYTON. The neoplastic potentialities of mouse embryo tissues. II. Contributory experiments; results with the skin of C3H and Webster-Swiss embryos; general considerations, 621
—. See ROUS and SMITH, 597
SONN, EVE B. See WIENER, ZEPEDA, SONN, and POLIVKA, 559
STANLEY, W. M. The preparation and properties of influenza virus vaccines concentrated and purified by differential centrifugation, 193
STILL, MARY A. See GERSH and STILL, 219

WARREN, JAMES V. See BEESON, BRANNON, and WARREN, 9
WEBSTER, LESLIE T. See SCHNEIDER and WEBSTER, 359
WHIPPLE, G. H., ROBSCHEIT-ROBBINS, F. S., and HAWKINS, W. B. Eck fistula liver subnormal in producing hemoglobin and plasma proteins on diets rich in liver and iron, 171
—. See MADDEN, WOODS, SHULL, REMINGTON, and WHIPPLE, 439
—. See MILLER, ROBSCHEIT-ROBBINS, and WHIPPLE, 405
WIENER, ALEXANDER S., DAVIDSOHN, I., and POTTER, E. L. Heredity of the Rh blood types. II. Observations on the relation of factor Hr to the Rh blood types, 63
—, ZEPEDA, J. PRECIADO, SONN, EVE B., and POLIVKA, H. R. Individual blood differences in Mexican Indians, with special reference to the Rh blood types and Hr factor, 559
WILSON, ARMINE T. Loss of group carbohydrate during mouse passages of a group A hemolytic streptococcus, 593
WINTROBE, MAXWELL M. See FOLLIS and WINTROBE, 539
WOOD, HARLAND G., RUSOFF, IRVING I., and REINER, JOHN M. Anaerobic glycolysis of the brain in experimental poliomyelitis, 151
WOODS, R. R. See MADDEN, WOODS, SHULL, REMINGTON, and WHIPPLE, 439
WRIGHT, GEORGE G. Studies on the denaturation of antibody. II. The effect of protein concentration on the rate of denaturation of diphtheria antitoxin by urea, 647

ZELDIS, L. J., and ALLING, E. L. Plasma protein metabolism—electrophoretic studies. Restoration of circulating proteins following acute depletion by plasmapheresis, 515
ZEPEDA, J. PRECIADO. See WIENER, ZEPEDA, SONN, and POLIVKA, 559

INDEX TO SUBJECTS

ACID, amino, mixtures, and casein digests, given intravenously, glutamic acid responsible for reactions, 439
—, pantothenic, and pyridoxine, deficiencies, comparison of effects on nervous tissues, 539
Agglutination, bacterial, chemical studies, 1
Agglutinogen, Rh, heredity, relation of factor Hr to Rh blood types, 63
—, Rh, and Hr factor, individual blood differences in Mexican Indians, 559
Amino acid mixtures and casein digests given intravenously, glutamic acid responsible for reactions, 439
Anaerobic glycolysis of brain in poliomyelitis, 151
Antibodies, type-specific and group-specific, in antimeningococcal sera, relation to mouse protection, 1
Antibody, complement-fixing, and dermal hypersensitivity, development in human beings following mumps, 119
—, complement-fixing, development following infection with mumps, 93
—, denaturation, effect of protein concentration on denaturation rate of diphtheria antitoxin by urea, 647
— formation, lymphocyte rôle, 73
— response in man following administration of specific antigen of Type V *Shigella paradysenteriae*, 349
— which protects against Type I meningococcal infection, and antipolysaccharide, correlation between, 85
Antigen, M, type-specific, effect of proteolytic enzyme produced by group A streptococci, 573
—, specific, of *Shigella paradysenteriae*, 315
—, specific, of Type V *Shigella paradysenteriae*, antibody response in man following administration, 349
—, specific, of Type Z *Shigella paradysenteriae*, chemical degradation, 331
Antimeningococcal sera of various species, type-specific and group-specific antibodies, quantitative study and relation to mouse protection, 1
Antipolysaccharide and antibody which protects against Type I meningococcal infection, correlation, 85
Antitoxin, diphtheria, rate of denaturation by urea, effect of protein concentration, 647

BACILLI, dysentery, Flexner, antibody response in man following administration of specific antigen of Type V *Shigella paradysenteriae*, 349
—, dysentery, Flexner, chemical degradation of specific antigen of Type Z *Shigella paradysenteriae*, 331
—, dysentery, specific antigens of *Shigella paradysenteriae*, 315
Bacteria, sites of removal from blood in bacterial endocarditis, 9
Bacterial agglutination, chemical studies, 1
Bleedings, repeated, cirrhosis of liver in donor dogs fed high fat diet and subjected to, 399
Blood differences, individual, in Mexican Indians, Rh blood types and Hr factor, 559

Blood in bacterial endocarditis, sites of removal of bacteria from, 9
— types, Rh, heredity, relation of factor Hr to Rh blood types, 63
— vessels in fat tissue, relation to gas exchange, 219
Body protein metabolism, internal, relation of hemoglobin and plasma protein, 405
Brain, anaerobic glycolysis in poliomyelitis, 151

CARBOHYDRATE, group, loss during mouse passages of group A hemolytic streptococcus, 593
Cardiac. *See* Heart.
Casein digests and amino acid mixtures given intravenously, glutamic acid responsible for reactions, 439
Cells, tissue culture, study by electron microscopy, 233
Cellular dynamics in intestinal mucosa, effect of irradiation on epithelial maturation and migration, 553
Centrifugation, differential, preparation and properties of influenza virus vaccines concentrated and purified by, 193
Chemical degradation of specific antigen of Type Z *Shigella paradysenteriae*, 331
— studies on bacterial agglutination, 1
Circulation, proteins restored to, after acute depletion by plasmapheresis, 515
Cirrhosis, liver, in donor dogs fed high fat diet and subjected to repeated bleedings, 399
Complement fixation test, aid in diagnosis of mumps meningoencephalitis, 137
—, human and guinea pig, and component fractions, comparison, 449
Complement-fixing antibody and dermal hypersensitivity, development in human beings following mumps, 119
— antibody, development following infection with mumps, 93
Convalescent human serum, mumps, and inactivated virus, immunization by means of, 93
Creatine, creatinine, and glycocyamine, synthesis, storage, and excretion in progressive muscular dystrophy, effects of hormones, 423
Creatinine, creatine, and glycocyamine, synthesis, storage, and excretion in progressive muscular dystrophy, effects of hormones, 423
Cultivation of *Donovania granulomatis* from granuloma inguinale in embryonic yolk, etiology, 25
—, tissue cells, study by electron microscopy, 233
Cytochrome oxidase in normal and regenerating neurons, 489

DEFICIENCIES, pyridoxine and pantothenic acid, comparison of effects on nervous tissues, 539
Diet, effect on response of genotypes of *Mus musculus* to *Salmonella enteritidis* infection, 359
—, high fat, fed to donor dogs subjected to repeated bleedings, cirrhosis of liver, 399
Diets rich in liver and iron, Eck fistula liver subnormal in producing hemoglobin and plasma proteins, 171
Digests, casein, and amino acid mixtures given intravenously, glutamic acid responsible for reactions, 439
Diphtheria antitoxin, rate of denaturation by urea, effect of protein concentration, 647
Donovania granulomatis cultivated from granuloma inguinale in embryonic yolk, etiology, 25

Donovania granulomatis and granuloma inguinale, immunologic relation, 41
Dysentery bacilli, Flexner, antibody response in man following administration of specific antigen of Type V *Shigella paradysenteriae*, 349
— bacilli, Flexner, chemical degradation of specific antigen of Type Z *Shigella paradysenteriae*, 331
— bacilli, Flexner, specific antigens of *Shigella paradysenteriae*, 315
Dystrophy, muscular, progressive, effects of hormones on synthesis, storage, and excretion of creatine, creatinine, and glycocyamine, 423

ECK fistula liver subnormal in producing hemoglobin and plasma proteins on diets rich in liver and iron, 171
Egg yolk, embryonic, etiologic consideration of *Donovania granulomatis* cultivated from granuloma inguinale, 25
Electron microscope study of isolated mitochondria, 51
— microscope study of tissue culture cells, 233
Electrophoretic studies of plasma protein metabolism, restoration of circulating proteins after acute depletion by plasmapheresis, 515
Embryo, mouse, tissues, neoplastic potentialities, skin of C strain embryos transplanted to adult animals, 597
—, mouse, tissues, neoplastic potentialities, skin of C3H and Webster-Swiss embryos, 621
Embryonic yolk, etiologic consideration of *Donovania granulomatis* cultivated from granuloma inguinale in, 25
Encephalitis, meningo-, mumps, complement fixation test as aid in diagnosis, 137
Endocarditis, bacterial, sites of removal of bacteria from blood, 9
Enzyme, proteolytic, produced by group A streptococci, effect on type-specific M antigen, 573
Epithelial maturation and migration in intestinal mucosa, effect of irradiation, 553
Etiology, *Donovania granulomatis* cultivated from granuloma inguinale in embryonic yolk, 25
Excretion, synthesis, and storage of creatine, creatinine, and glycocyamine in progressive muscular dystrophy, effects of hormones, 423

FAT diet, high, fed to donor dogs subjected to repeated bleedings, liver cirrhosis, 399
— tissue, blood vessels, relation to gas exchange, 219
Fistula liver, Eck, subnormal in producing hemoglobin and plasma proteins on diets rich in liver and iron, 171
Fixation, complement. *See* Complement.
Flexner dysentery bacilli, antibody response in man following administration of specific antigen of Type V *Shigella paradysenteriae*, 349
— dysentery bacilli, chemical degradation of specific antigen of Type Z *Shigella paradysenteriae*, 331
— dysentery bacilli, specific antigens of *Shigella paradysenteriae*, 315

GAS exchange, relation of blood vessels in fat tissue, 219
Glutamic acid responsible for reactions to amino acid mixtures and casein digests given intravenously, 439
Glycocyamine, creatine, and creatinine, synthesis, storage, and excretion in progressive muscular dystrophy, effects of hormones, 423

Glycolysis, anaerobic, of brain, in poliomyelitis, 151
Granuloma inguinale and *Donovania granulomatis*, immunologic relation, 41
— inguinale, etiologic consideration of *Donovania granulomatis* cultivated in embryonic yolk from, 25
Guinea pig and human complements and component fractions, comparison, 449

HEART, cardiotoxic effect of oxygen-labile hemolysin of *Streptococcus pyogenes* inhibited by substance released from, 307
—, increased sensitivity to repeated application of oxygen-labile hemolysin of *Streptococcus pyogenes*, 295
Hemoglobin and plasma protein, relation to internal body protein metabolism, 405
— and plasma proteins, subnormal production with Eck fistula liver on diets rich in liver and iron, 171
Hemolysin, oxygen-labile, of *Streptococcus pyogenes*, cardiotoxic action inhibited by substance released from heart, 307
—, oxygen-labile, of *Streptococcus pyogenes*, cardiotoxic action of preparations containing, 295
Hemolytic streptococcus, group A, loss of group carbohydrate during mouse passages, 593
Heredity of Rh blood types, relation of factor Hr to Rh blood types, 63
Hormones, effects on synthesis, storage, and excretion of creatine, creatinine, and glycocyamine in progressive muscular dystrophy, 423
Hypersensitivity, dermal, and complement-fixing antibody, development in human beings following mumps, 119

IMMUNITY, mumps, complement fixation test as aid in diagnosis of mumps meningoencephalitis, 137
—, mumps, development of complement-fixing antibody and dermal hypersensitivity in human beings following infection, 119
—, mumps, development of complement-fixing antibody following infection and immunization by means of inactivated virus and convalescent human serum, 93
—, poliomyelitis, passive, 247
Immunologic relation of *Donovania granulomatis* to granuloma inguinale, 41
Indians, Mexican, individual blood differences, Rh blood types and Hr factor, 559
Influenza virus vaccines, concentrated and purified by differential centrifugation, 193
Injections of amino acid mixtures and casein digests, glutamic acid responsible for reactions, 439
Intestinal mucosa, cellular dynamics, effect of irradiation on epithelial maturation and migration, 553
Iron- and liver-rich diets, Eck fistula liver subnormal in producing hemoglobin and plasma proteins, 171

LIVER cirrhosis in donor dogs fed high fat diet and subjected to repeated bleedings, 399
—, Eck fistula, subnormal in producing hemoglobin and plasma proteins on diets rich in liver and iron, 171
Lymphocyte rôle in antibody formation, 73

MAN, antibody response following administration of specific antigen of Type V *Shigella paradysenteriae*, 349

Man, development of complement-fixing antibody and dermal hypersensitivity following mumps, 119
— and guinea pig complements and component fractions, comparison, 449
—, mumps, serum, convalescent, and inactivated virus, immunization by means of, 93
Maturation and migration, epithelial, in intestinal mucosa, effect of irradiation, 553
Meningococcal infection, Type I, correlation between antipolysaccharide and antibody which protects against, 85
Meningoencephalitis, mumps, complement fixation test as aid in diagnosis, 137
Metabolism, internal body protein, relation of hemoglobin and plasma protein, 405
—, plasma protein, electrophoretic studies, restoration of circulating proteins after acute depletion by plasmapheresis, 515
Mexican Indians, individual blood differences, Rh blood types and Hr factor, 559
Microscope, electron, study of isolated mitochondria, 51
—, electron, study of tissue culture cells, 233
Mitochondria, isolated, study by electron microscopy, 51
Motoneurons, regenerative cycle, with special reference to phosphatase activity, 469
Mucosa, intestinal, cellular dynamics, effect of irradiation on epithelial maturation and migration, 553
Mumps, immunity, complement fixation test as aid in diagnosis of mumps meningoencephalitis, 137
—, immunity, development of complement-fixing antibody and dermal hypersensitivity in human beings following infection, 119
Mumps, immunity, development of complement-fixing antibody following infection and immunization by means of inactivated virus and convalescent human serum, 93
Muscular dystrophy, progressive, effects of hormones on synthesis, storage, and excretion of creatine, creatinine, and glycocyamine, 423

NEOPLASTIC potentialities of mouse embryo tissues, skin of C strain embryos transplanted to adult animals, 597
— potentialities of mouse embryo tissues, skin of C3H and Webster-Swiss embryos, 621
Nervous tissues, comparison of effects of pyridoxine and pantothenic acid deficiencies, 539
Neurons, motor, regenerative cycle, with special reference to phosphatase activity, 469
—, normal and regenerating, cytochrome oxidase, 489
Nutrition, host, and natural resistance to infection, effect of diet on response of genotypes of *Mus musculus* to *Salmonella enteritidis* infection, 359

OXIDASE, cytochrome, in normal and regenerating neurons, 489
Oxygen-labile hemolysin of *Streptococcus pyogenes*, cardiotoxic action by substance released from heart, 307
— hemolysin of *Streptococcus pyogenes*, cardiotoxic action of preparations containing, 295

PANTOTHENIC acid and pyridoxine deficiencies, comparison of effects on nervous tissues, 539
Paralytic, non-, poliomyelitis, in chimpanzee, 255

Phosphatase activity in motoneurons, and regenerative cycle, 469
Pigeons, virus disease, recovery of virus, 385
Plasma protein and hemoglobin, relation to internal body protein metabolism, 405
— protein metabolism, electrophoretic studies, restoration of circulating proteins after acute depletion by plasmapheresis, 515
— proteins and hemoglobin, subnormal production with Eck fistula liver on diets rich in liver and iron, 171
Plasmapheresis, restoration of circulating proteins after acute depletion by, 515
Pneumococcal types, transformation, reversible inactivation of substance inducing, 501
Poliomyelitis, anaerobic glycolysis of brain, 151
—, immunity, passive, 247
—, non-paralytic, in chimpanzee, 255
— virus, murine and simian strains, interference between, 275
— virus, virus-neutralizing action of serum from mice infected with, 161
Protein concentration, effect on denaturation rate of diphtheria antitoxin by urea, 647
—, plasma, and hemoglobin, relation to internal body protein metabolism, 405
—, plasma, metabolism, electrophoretic studies, restoration of circulating proteins after acute depletion by plasmapheresis, 515
Proteins, circulating, restoration after acute depletion by plasmapheresis, 515
—, plasma, and hemoglobin, subnormal production with Eck fistula liver on diets rich in liver and iron, 171
Proteolytic enzyme produced by group A streptococci, effect on type-specific M antigen, 573
Pyridoxine and pantothenic acid deficiencies, comparison of effects on nervous tissues, 539

RADIATION, effect on epithelial maturation and migration in intestinal mucosa, 553
Resistance to infection, natural, and host nutrition, effect of diet on response of genotypes of *Mus musculus* to *Salmonella enteritidis* infection, 359

SALMONELLA *enteritidis* infection, effect of diet on response of genotypes of *Mus musculus* to, 359
Sensitivity of heart to repeated application of oxygen-labile hemolysin of *Streptococcus pyogenes*, 295
Sera, antimeningococcal, type-specific and group-specific antibodies, relation to mouse protection, 1
Serum from mice infected with poliomyelitis virus, virus-neutralizing action, 161
— mumps, human convalescent, and inactivated virus, immunization by means of, 93
Shigella paradysenteriae, specific antigens, 315
— *paradysenteriae*, Type V, specific antigen, antibody response in man following administration, 349
— *paradysenteriae*, Type Z, specific antigen, chemical degradation, 331
Skin hypersensitivity and complement-fixing antibody, development in human beings following mumps, 119
— of C strain mouse embryos transplanted to adult animals, neoplastic potentialities, 597
— of C3H and Webster-Swiss mouse embryos, neoplastic potentialities, 621
Specific antigen of Type V *Shigella paradysenteriae*, antibody response in man following administration, 349

Specific antigen of Type Z *Shigella paradysenteriae*, chemical degradation, 331
— antigens of *Shigella paradysenteriae*, 315
—, type-, and group-specific antibodies in antimeningococcal sera, relation to mouse protection, 1
—, type-, M antigen, effect of proteolytic enzyme produced by group A streptococci on, 573
Streptococci, group A, proteolytic enzyme produced by, effect on type-specific M antigen, 573
Streptococcus, hemolytic, group A, loss of group carbohydrate during mouse passages, 593
— *pyogenes*, oxygen-labile hemolysin, cardiotoxic action inhibited by substance released from heart, 307
— *pyogenes*, oxygen-labile hemolysin, cardiotoxic action of preparations containing, 295

TISSUE culture cells, study by electron microscopy, 233
—, fat, blood vessels, relation to gas exchange, 219
Tissues, mouse embryo, neoplastic potentialities, skin of C strain embryos transplanted to adult animals, 597
—, mouse embryo, neoplastic potentialities, skin of C3H and Webster-Swiss embryos, 621
Tissues, nervous, comparison of effects of pyridoxine and pantothenic acid deficiencies on, 539
Toxin, oxygen-labile hemolysin of *Streptococcus pyogenes*, increased sensitivity of heart to repeated application, 295
Transplantation, skin of C strain mouse embryos, to adult animals, neoplastic potentialities, 597

UREA denaturation of diphtheria antitoxin, effect of protein concentration on rate, 647

VACCINES, influenza virus, concentrated and purified by differential centrifugation, 193
Virus disease of pigeons, recovery of virus, 385
—, influenza, vaccines, concentrated and purified by differential centrifugation, 193
—, mumps, inactivated, and convalescent human serum, immunization by means of, 93
—, poliomyelitis, interference between murine and simian strains, 275
—, poliomyelitis, virus-neutralizing action of serum from mice infected with, 161
Virus-neutralizing action of serum from mice infected with poliomyelitis virus, 161